

DLC Retrofit Kits

Features and Benefits

- 30-135 Watt Low Power and High Performance
- 4 wattage selections by switch per Solstice unit
- Under voltage lockout for power off or brownout
- Multiple temperature control values. Over temperature protection, shut down at critical temperature and resume operation temperature
- Multiple lensing options available for maximum light distribution
- Designed with 1-10V dimming capabilities
- Rated life 100,000+ hours
- 5 Year Warranty*
- UV, IR and Mercury - free
- UL - Dry Location



**5 Year
Warranty**

**Reduces
Energy & Cost**

**No Lead or
Mercury**

| Part Number: | Wattage: | Dimmable: | Lumens: | CRI: | Voltage: | Life Hours: | Color Temperature(CCTK): |
|------------------------|----------|-----------|---------|------|-------------|-------------|--------------------------|
| GTSOLM21-SOLY | 30 | Yes | 2679 | ≥76 | 120-480 VAC | 100,000+ | 5650K |
| GTSOLM21-SOLY | 40 | Yes | 3742 | ≥76 | 120-480 VAC | 100,000+ | 5650K |
| GTSOLM21-SOLY | 50 | Yes | 4594 | ≥76 | 120-480 VAC | 100,000+ | 5650K |
| GTSOLM21-SOLY | 60 | Yes | 5910 | ≥76 | 120-480 VAC | 100,000+ | 5650K |
| GTSOL5498-SOLY-120-277 | 75 | Yes | 7814 | ≥76 | 120-480 VAC | 100,000+ | 5650K |
| GTSOL5498-SOLY-120-277 | 85 | Yes | 8999 | ≥76 | 120-480 VAC | 100,000+ | 5650K |
| GTSOL5498-SOLY-120-277 | 95 | Yes | 9447 | ≥76 | 120-480 VAC | 100,000+ | 5650K |
| GTSOL5498-SOLY-120-277 | 135* | Yes | 13164 | ≥76 | 120-480 VAC | 100,000+ | 5650K |

| Operating Temperature: | Indoor/Outdoor: | Certified Installer Required: |
|------------------------|-----------------|-------------------------------|
| -40 °C to 85 °C | Outdoor | Yes |

Applications

- Cobrahead
- Shoebox
- Canopy
- Parking Lot
- Highbay
- Lowbay
- Wall Pack

Retrofit Options



Cobrahead



Highbay



Wall Pack



Canopy



Yoke Application Available



Certifications:
RoHS, ETL Listed



0045



Trans-Lux Energy Corporation
300 N Elizabeth St Suite 610c
Chicago, IL 60607
800.559.8197 • www.Trans-Lux.com

RETROFITS
Yoke / Plate

DLC Retrofit Kits

| Application: | Part Number: | Wattage: | CRI: | CCT: |
|---|--|---------------------|------|------|
| YOKE | 5650K Yoke Retrofit Kits LED MODULE 120-277V DRIVER- Y BRACKET | | | |
| | GTSOLM21-GR-SOLY-120-277 | 30W 40W 50W 60W | ≥70 | 5650 |
| | GTSOL5498-GR-SOLY-120-277 | 75W 85W 95W 135W | ≥70 | 5650 |
| | 5000K Yoke Retrofit Kits LED MODULE 120-277V DRIVER- Y BRACKET | | | |
| | GTSOLM21-BR-SOLY-120-277 | 30W 40W 50W 60W | ≥80 | 5000 |
| | GTSOL5498-BR-SOLY-120-277 | 75W 85W 95W 135W | ≥80 | 5000 |
| | 4100K Yoke Retrofit Kits LED MODULE 120-277V DRIVER- Y BRACKET | | | |
| | GTSOLM21-YW-SOLY-120-277 | 30W 40W 50W 60W | ≥70 | 4100 |
| | GTSOL5498-YW-SOLY-120-277 | 75W 85W 95W 135W | ≥70 | 4100 |
| | 4000K Yoke Retrofit Kits LED MODULE 120-277V DRIVER- Y BRACKET | | | |
| | GTSOLM21-BL-SOLY-120-277 | 30W 40W 50W 60W | ≥80 | 4000 |
| | GTSOL5498-BL-SOLY-120-277 | 75W 85W 95W 135W | ≥80 | 4000 |
| | 3500K Yoke Retrofit Kits LED MODULE 120-277V DRIVER- Y BRACKET | | | |
| | GTSOLM21-RD-SOLY-120-277 | 30W 40W 50W 60W | ≥80 | 3500 |
| | GTSOL5498-RD-SOLY-120-277 | 75W 85W 95W 135W | ≥80 | 3500 |
| | 2700K Yoke Retrofit Kits LED MODULE 120-277V DRIVER- Y BRACKET | | | |
| | GTSOLM21-OR-SOLY-120-277 | 30W 40W 50W 60W | ≥80 | 2700 |
| | GTSOL5498-OR-SOLY-120-277 | 75W 85W 95W 135W | ≥80 | 2700 |
| 3000K Yoke Retrofit Kits LED MODULE 120-277V DRIVER- Y BRACKET | | | | |
| GTSOLM21-PU-SOLY-120-277 | 30W 40W 50W 60W | ≥95 | 3000 | |
| GTSOL5498-PU-SOLY-120-277 | 75W 85W 95W 135W | ≥95 | 3000 | |
| PLATE | 5650K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | |
| | GTSOLM21-GR-1XPLATE-120-277 | 30W 40W 50W 60W | ≥70 | 5650 |
| | GTSOLM21-GR-2XPLATE-120-277 | 60W 80W 100W 120W | ≥70 | 5650 |
| | GTSOLM21-GR-3XPLATE-120-277 | 90W 120W 150W 180W | ≥70 | 5650 |
| | GTSOLM21-GR-4XPLATE-120-277 | 120W 160W 200W 240W | ≥70 | 5650 |
| | 5000K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | |
| | GTSOLM21-BR-1XPLATE-120-277 | 30W 40W 50W 60W | ≥80 | 5000 |
| | GTSOLM21-BR-2XPLATE-120-277 | 60W 80W 100W 120W | ≥80 | 5000 |
| | GTSOLM21-BR-3XPLATE-120-277 | 90W 120W 150W 180W | ≥80 | 5000 |
| | GTSOLM21-BR-4XPLATE-120-277 | 120W 160W 200W 240W | ≥80 | 5000 |
| | 4100K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | |
| | GTSOLM21-YW-1XPLATE-120-277 | 30W 40W 50W 60W | ≥70 | 4100 |
| | GTSOLM21-YW-2XPLATE-120-277 | 60W 80W 100W 120W | ≥70 | 4100 |
| | GTSOLM21-YW-3XPLATE-120-277 | 90W 120W 150W 180W | ≥70 | 4100 |
| | GTSOLM21-YW-4XPLATE-120-277 | 120W 160W 200W 240W | ≥70 | 4100 |

DLC Retrofit Kits

| Application: | Part Number: | Wattage: | CRI: | CCT: | EQUIVALENT TO HID: | |
|--|--|--|---------------------|--------|--------------------|----------|
| PLATE | 4000K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | | | |
| | GTSOLM21-BL-1XPLATE-120-277 | 30W 40W 50W 60W | ≥80 | 4000 | TBD | |
| | GTSOLM21-BL-2XPLATE-120-277 | 60W 80W 100W 120W | ≥80 | 4000 | TBD | |
| | GTSOLM21-BL-3XPLATE-120-277 | 90W 120W 150W 180W | ≥80 | 4000 | TBD | |
| | GTSOLM21-BL-4XPLATE-120-277 | 120W 160W 200W 240W | ≥80 | 4000 | TBD | |
| | 3500K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | | | |
| | GTSOLM21-RD-1XPLATE-120-277 | 30W 40W 50W 60W | ≥80 | 3500 | TBD | |
| | GTSOLM21-RD-2XPLATE-120-277 | 60W 80W 100W 120W | ≥80 | 3500 | TBD | |
| | GTSOLM21-RD-3XPLATE-120-277 | 90W 120W 150W 180W | ≥80 | 3500 | TBD | |
| | GTSOLM21-RD-4XPLATE-120-277 | 120W 160W 200W 240W | ≥80 | 3500 | TBD | |
| | PLATE | 2700K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | | |
| | | GTSOLM21-OR-1XPLATE-120-277 | 30W 40W 50W 60W | ≥80 | 2700 | TBD |
| GTSOLM21-OR-2XPLATE-120-277 | | 60W 80W 100W 120W | ≥80 | 2700 | TBD | |
| GTSOLM21-OR-3XPLATE-120-277 | | 90W 120W 150W 180W | ≥80 | 2700 | TBD | |
| GTSOLM21-OR-4XPLATE-120-277 | | 120W 160W 200W 240W | ≥80 | 2700 | TBD | |
| GTSOL2754-OR-1XPLATE-120-277 | | 30W 40W 50W 60W | ≥80 | 2700 | TBD | |
| GTSOL2754-OR-2XPLATE-120-277 | | 60W 80W 100W 120W | ≥80 | 2700 | TBD | |
| GTSOL2754-OR-3XPLATE-120-277 | | 90W 120W 150W 180W | ≥80 | 2700 | TBD | |
| GTSOL2754-OR-4XPLATE-120-277 | | 120W 160W 200W 240W | ≥80 | 2700 | TBD | |
| PLATE | | 3000K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | | |
| | | GTSOL2754-PU-1XPLATE-120-277 | 30W 40W 50W 60W | ≥95 | 3000 | TBD |
| | | GTSOL2754-PU-2XPLATE-120-277 | 60W 80W 100W 120W | ≥95 | 3000 | TBD |
| | GTSOL2754-PU-3XPLATE-120-277 | 90W 120W 150W 180W | ≥95 | 3000 | TBD | |
| | GTSOL2754-PU-4XPLATE-120-277 | 120W 160W 200W 240W | ≥95 | 3000 | TBD | |
| | GTSOL2754-PU-1XPLATE-120-277 | 30W 40W 50W 60W | ≥95 | 3000 | TBD | |
| | GTSOL2754-PU-2XPLATE-120-277 | 60W 80W 100W 120W | ≥95 | 3000 | TBD | |
| | GTSOL2754-PU-3XPLATE-120-277 | 90W 120W 150W 180W | ≥95 | 3000 | TBD | |
| | GTSOL2754-PU-4XPLATE-120-277 | 120W 160W 200W 240W | ≥95 | 3000 | TBD | |
| | PLATE | 5650K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | | |
| | | GTSOL5498-GR-1XPLATE-120-277 | 70W 80W 90W 100W | ≥70 | 5650 | 70W-400W |
| | | GTSOL5498-GR-2XPLATE-120-277 | 140W 160W 180W 200W | ≥70 | 5650 | 400W+ |
| GTSOL5498-GR-3XPLATE-120-277 | | 210W 240W 270W 300W | ≥70 | 5650 | 1000W | |
| GTSOL5498-GR-4XPLATE-120-277 | | 280W 320W 360W 400W | ≥70 | 5650 | 1000W+ | |
| 5000K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | | | | |
| GTSOL5498-BR-1XPLATE-120-277 | | 70W 80W 90W 100W | ≥80 | 5000 | 70W-400W | |
| GTSOL5498-BR-2XPLATE-120-277 | | 140W 160W 180W 200W | ≥80 | 5000 | 400W+ | |
| GTSOL5498-BR-3XPLATE-120-277 | | 210W 240W 270W 300W | ≥80 | 5000 | 1000W | |
| GTSOL5498-BR-4XPLATE-120-277 | | 280W 320W 360W 400W | ≥80 | 5000 | 1000W+ | |
| 4100K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | | | | |
| GTSOL5498-YW-1XPLATE-120-277 | | 70W 80W 90W 100W | ≥70 | 4100 | 70W-400W | |
| GTSOL5498-YW-2XPLATE-120-277 | 140W 160W 180W 200W | ≥70 | 4100 | 400W+ | | |
| GTSOL5498-YW-3XPLATE-120-277 | 210W 240W 270W 300W | ≥70 | 4100 | 1000W | | |
| GTSOL5498-YW-4XPLATE-120-277 | 280W 320W 360W 400W | ≥70 | 4100 | 1000W+ | | |

RETROFITS
Yoke / Plate



Trans-Lux Energy Corporation
300 N Elizabeth St Suite 610c
Chicago, IL 60607
800.559.8197 • www.Trans-Lux.com

DLC Retrofit Kits

| Application: | Part Number: | Wattage: | CRI: | CCT: | EQUIVALENT TO HID: |
|------------------------------|--|---------------------|------|----------|--------------------|
| PLATE | 4000K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | | |
| | GTSOL5498-BL-1XPLATE-120-277 | 70W 80W 90W 100W | ≥80 | 4000 | 70W-400W |
| | GTSOL5498-BL-2XPLATE-120-277 | 140W 160W 180W 200W | ≥80 | 4000 | 400W+ |
| | GTSOL5498-BL-3XPLATE-120-277 | 210W 240W 270W 300W | ≥80 | 4000 | 1000W |
| | GTSOL5498-BL-4XPLATE-120-277 | 280W 320W 360W 400W | ≥80 | 4000 | 1000W+ |
| | 3500K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | | |
| | GTSOL5498-RD-1XPLATE-120-277 | 70W 80W 90W 100W | ≥80 | 3500 | 70W-400W |
| | GTSOL5498-RD-2XPLATE-120-277 | 140W 160W 180W 200W | ≥80 | 3500 | 400W+ |
| | GTSOL5498-RD-3XPLATE-120-277 | 210W 240W 270W 300W | ≥80 | 3500 | 1000W |
| | GTSOL5498-RD-4XPLATE-120-277 | 280W 320W 360W 400W | ≥80 | 3500 | 1000W+ |
| | 2700K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | | |
| | GTSOL5498-OR-1XPLATE-120-277 | 70W 80W 90W 100W | ≥80 | 2700 | 70W-400W |
| | GTSOL5498-OR-2XPLATE-120-277 | 140W 160W 180W 200W | ≥80 | 2700 | 400W+ |
| | GTSOL5498-OR-3XPLATE-120-277 | 210W 240W 270W 300W | ≥80 | 2700 | 1000W |
| | GTSOL5498-OR-4XPLATE-120-277 | 280W 320W 360W 400W | ≥80 | 2700 | 1000W+ |
| | 3000K Retrofit Kits LED MODULE 120-277V DRIVER- 1X 2X 3X 4X PLATE | | | | |
| GTSOL5498-PU-1XPLATE-120-277 | 70W 80W 90W 100W | ≥95 | 3000 | 70W-400W | |
| GTSOL5498-PU-2XPLATE-120-277 | 140W 160W 180W 200W | ≥95 | 3000 | 400W+ | |
| GTSOL5498-PU-3XPLATE-120-277 | 210W 240W 270W 300W | ≥95 | 3000 | 1000W | |
| GTSOL5498-PU-4XPLATE-120-277 | 280W 320W 360W 400W | ≥95 | 3000 | 1000W+ | |